

## Rostfreie Stähle

Werkstoff-Nr.	Kurzname DIN/EN
<b>Austenitische korrosionsbeständige Stähle</b>	
<b>V2A</b>	
1.4301	X5CrNi18-10
1.4303	X4CrNi18-12
1.4305	X8CrNiS18-9
1.4306	X2CrNi19-11
1.4307	X2CrNi18-9
1.4310	X10CrNi18-8
1.4311	X2CrNi18-10
1.4541	X6CrNiTi18-10
1.4550	X6CrNiNb18-10
1.4567	X3CrNiCu18-9-4
<b>V4A</b>	
1.4401	X5CrNiMo17-12-2
1.4404	X2CrNiMo17-12-2
1.4429	X2CrNiMoN17-13-3
1.4435	X2CrNiMo18-14-3
1.4436	X3CrNiMo17-13-3
1.4529	X1NiCrMoCuN25-20-7
1.4539	X1NiCrMoCu25-20-5
1.4547	X1CrNiMoCuN20-18-7
1.4565	X2CrNiMnMoNbN25-18-5-4
1.4571	X6CrNiMoTi17-12-2
1.4578	X3CrNiCuMo17-11-3-2
1.4652	X1CrNiMoCuN24-22-8

<b>Ferritische korrosionsbeständige Stähle</b>	
1.4003	X2CrNi12
1.4512	X2CrTi12
1.4016	X6Cr17
1.4510	X3CrTi17
1.4105	X6CrMoS17
1.4511	X3CrNb17
1.4509	X2CrTiNb18
1.4113	X6CrMo17-1
1.4521	X2CrMoTi18-2
<b>Martensitische korrosionsbeständige Stähle</b>	
1.4006	X12Cr13
1.4005	X12CrS13
1.4021	X20Cr13
1.4028	X30Cr13
1.4034	X46Cr13
1.4116	X50CrMoV15
1.4057	X17CrNi16-2
1.4122	X39CrMo17
1.4104	X14CrMoS17
1.4313	X3CrNiMo13-4
1.4418	X4CrNiMo16-5-1
<b>Austenitisch-ferritischer Duplex- Stähle</b>	
1.4462	X2CrNiMoN22-5-3